



## Epping

### Epping Vertical LED brick light, Grey

The Kosnic LED brick lights are available in versions suitable for ground or wall mounting. The wall mounting versions are also available as either horizontal (standard) or vertical orientation. Made from die-cast aluminium with a polycarbonate diffuser the weather resistant brick lights are perfectly suited for commercial and domestic outdoor illumination of driveways, thoroughfares, car parks and other outdoor spaces. They are available in black or grey finish.

**KBRK103VER-GRY ()**

## Specification

|                                     |                    |
|-------------------------------------|--------------------|
| Voltage                             | 220-240Vac 50-60Hz |
| Current (mA)                        | 28                 |
| Rated Power (W)                     | 3                  |
| CCT Words                           | Cool White         |
| CCT (K)                             | 4000               |
| Total Luminous Flux (lm)            | 140                |
| Beam Angle(°)                       | 22                 |
| Nominal Lifetime (h)                | 40000              |
| SDCM of CCT                         | <6                 |
| Flicker %                           | 16                 |
| Power Factor                        | 0.46               |
| Ambient Temperature Range (°C)      | -20 to 50          |
| Weight (kg)                         | 0.9                |
| In-rush current (peak/duration) (A) | 5/ 960 us          |
| Protection Rating                   | Class I            |
| IP Rating                           | IP65               |

## Light Source Specification

|                                            |           |
|--------------------------------------------|-----------|
| Light Source Cap Type (or other interface) | Terminals |
| Dimmable (Y/N/Specific dimmer)             | N         |
| CRI                                        | >80       |
| Lumen Maintenance Factor (x.xx)            | 0.75      |

## Technical Drawings

