



Viso-i

Viso-i IP65 & vandal proof bulkhead with integrated LED tray

Kosnic's IP65 LED bulkhead has switchable CCT. The bulkhead can include an emergency and microwave sensor option and offers a low maintenance and robust solution to lighting in all areas where a practical lighting solution is required. The standard bulkhead can be used as a utility style bulkhead without a trim or can be enhanced with one of the two decorative trims to give a higher aesthetic appeal where required.

VIS12-SCT ()

Specification

Voltage	220-240Vac 50/60Hz
CCT (K)	3000, 4000, 5000
Total Luminous Flux (lm)	1150, 1260, 1260
Ambient Temperature Range (°C)	-20 to 40
Protection Rating	Class II
IK Rating	IK10
IP Rating	IP65
LOR	LOR 68%

Optional Gears and Accessories

Accessories 1	Microwave Sensor Module KBTNLS1-MWS2
Accessories 2	Self-Test DD Emergency Module CEC02LBL/S
Accessories 3	Trim KBHC7-TBLK
Accessories 4	Trim KBHC7-TGRY
Accessories 5	Eyelid Trim KBHC7-TLID
Accessories 6	Trim KBH7-TGLID
Accessories 7	Anti-Vandal Screw Driver KPT-SCREW1
Accessories 8	Anti-Vandal Screw Driver KPT-SCREWDRIVER1

Technical Drawings

